

LiqVita® ADE60

Art.no.: 30117. Version 1

15 L

Dietetisk foder til at understøtte forberedelse til brunst og reproduktion /
Dietetic feed to support the preparation for oestrus and reproduction

DK LIQVITA ADE 60

Næringsstoffer:

Vandindhold	75 %
Råprotein.....	0 %
Råfedt.....	15 %
Træstof/råfiber	0 %
Aske.....	0,47 %
Natrium 1,45 g/kg.	

GB LIQVITA ADE 60

Nutrients:

Moisture.....	75 %
Crude protein.....	0 %
Crude fat	15 %
Crude fiber.....	0 %
Ash	0,47 %
Sodium 1,45 g/kg.	

Tilsætningsstoffer: Ernæringsmæssige tilsætningsstoffer:

A-vitamin 3a672b	30.000 IE/g
D3-vitamin E671	20 IE/g
E-vitamin (all-rac-alfatokoferol acetat) 3a700	66.000 mg/kg
Selen E8 (natriumselenit)	50 mg/kg

Teknologiske tilsætningsstoffer:

BHA E320, Propyl Gallat E310.

Sammensætning: Vand, forblanding, dextrose, dinatriumfosfat.

Holdbarhed: 18 måneder.

Opbevaring: Opbevares køligt (under +18° C), i lukket emballage og beskyttet mod sollys. Må ikke nedfryses.

Reg.nr. 280-R756056.

Fremskilt af: aFl2110001.

Brugsvejledning: Dosering (pr. uge): Søer 20-30 ml/uge, gylte 10 ml, køer 15-25 ml, får 2 ml, heste 15 ml, fjerkræ 2-2,5 ml/kg foder, mink 2-2,5 ml/kg lufttøret foder.

Søer: 7 dage før indtil 3 dage efter faring samt 7 dage før indtil 3 dage efter parring.

Køer: 2 uger før slutningen af drægtighed indtil den næste drægtighed er konstateret.

Hunpattedyr: Fra sidste del af drægtigheden indtil næste drægtighed er konstateret.

Hanpattedyr: Perioder med reproduktiv aktivitet.

Feed additives: Nutritional additives:

A-vitamin 3a672b	30.000 IU/g
D3-vitamin E671	20 IU/g
E-vitamin (all-rac-alpha-tocopheryl acetat) 3a700	66.000 mg/kg
Selenium E8 (sodium selenite)	50 mg/kg

Technological additives:

BHA E320, Propyl Gallate E310.

Composition: Water, premix, dextrose, disodium phosphate.

Shelf life: 18 months.

Storage: Store in closed package in cool conditions (under +18° C), protected from sun light. Do not freeze.

Reg.nr. 280-R756056.

Manufactured of: aFl2110001.

Instructions for use: Dosage (Per week): Sows 20-30 ml/week. Gilts 10 ml. Cows: 15-25 ml. Sheep: 2 ml. Horses: 15ml. Poultry 2-2,5 ml per kg feed. Mink: 2-2,5 ml per kg air dry feed.

Sows: 7 days before until 3 days after parturition and 7 days before until 3 days mating.

Cows: 2 weeks before the end of gestation until the next gestation is confirmed.

Other female mammals: from the last part of gestation until the next gestation is confirmed.

Males: during periods of reproductive activity.



5 712857 013502

Vilofarm

+45 8887 5300